

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

	REVISIONS							
REV	DESCRIPTION	DATE	INITIAL	APPROVED				
	CH'D -7 WAS MCMASTER-CARR #90177A228 IS MCMASTER-CARR #90177A218. CH'D ENGRAVE NOTE WAS "3G6405G0251" IS "RBW6405G02051-3G".	2/5/2013	BIM	SE				









® RED BARN MACHINE

T/R DAMPER LENGTH ADJUST

ASSY	ASSY QTY	B/O	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	DWG NO. RBW6405G00531-3G	A A
QII	QII			QIII	,			MAT'L DRAWN BY: GILBERT		
			-1	1	BASE	6061	1-7/8 X 2-1/8 X 8-3/8	2	UNLESS OTHERWISE SPECIFIED APPROVED DIMENSIONS ARE IN INCHES HEAT	
			-3	2	PIN	4140 Q & T	Ø3/4 X 5-1/4	3	.XXX ± .005	_
		B/O	-5	2	BUSHING	STEEL	CARR LANE # PM-18-20-11	1	X ± .1 ANGLES ±.5 SPEC SPEC	
		B/O	-7	4	SPLIT RING	STEEL	Ø1 MCMASTER-CARR #90177A218	1	OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER	
		B/O	-9	2	LANYARD	COATED STEEL	Ø1/16 X 10 CARR LANE #CL2C	1	PLATING AW139	
		B/O	-11	4	FERRULE	ALUMINUM	Ø1/16 X 3/8 MCMASTER-CARR #3896T31	1	SCALE 1:4 DATE 12/12/2012 SHEET 1 OF	3

